

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S49	7	("6377243" "4864497" "5761656" "7152205" "6378001" "5708828" "5392390"),pn.	US-PGPUB; USPAT	OR	OFF	2009/04/13 06:59
S50	7564	707/102.ccls.	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S51	457	715/864.ccls.	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S52	8312	707/201,200,204.ccls.	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S53	4	database near4 conversion near2 matrix	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S54	7	database near4 conversion near2 identifier	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S55	0	database near4 conversion near2 identifier same match\$5	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S56	6	database near4 conversion near10 match\$5 near4 table\$1	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03

S57	150	database near3 conversion near4 program\$5	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S58	15	database near3 conversion same mapp\$5 near5 field \$1	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S59	1	"5392390".pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S60	2923	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (application\$1 or database\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S61	239	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (application\$1 or database\$1) near10 (different or distinct or format\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S62	106	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (applications or databases) near10 (different or distinct or format\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S63	35	(input\$5 or enter\$5) near3 (data or information) near3 (two or plurality or many or multiple) near3 (applications or databases) near5 (different or distinct or format\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S64	5	(PDA or PIM) near5 database near5 conver\$8	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S65	1876	(transform\$5 or conver\$6) near5 application near5 data near5 format\$3	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S66	47	(transform\$5 or conver\$6) near5 application near5 data near5 different near5 format\$3	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03

S67	43	convert\$5 near6 between near5 database near2 format\$2	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S68	5	convert\$5 near6 between near5 (different or distinct) near5 database near2 format\$2	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S69	36	convert\$5 near6 data near6 (different or distinct) near5 database near2 format\$2	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S70	36	convert\$5 near6 data near6 (different or distinct) near5 database near2 format\$2 and field\$2	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S71	0	PDA same (different to distinct) near2 database\$1	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S72	76	PDA same (different or distinct) near2 database\$1	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S73	2	PDA same (different or distinct) near2 database\$1 near10 format\$2	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S74	8312	707/201,200,204.cols.	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S75	4	database near4 conversion near2 matrix	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S76	7	database near4 conversion near2 identifier	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S77	0	database near4 conversion near2 identifier same match\$5	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03

S78	6	database near4 conversion near10 match\$5 near4 table\$1	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S79	150	database near3 conversion near4 program\$5	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S80	15	database near3 conversion same mapp\$5 near5 field \$1	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S81	1	"5392390".pn.	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S82	77	select\$5 near5 database near2 convers\$5	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S83	0	select\$5 near5 database near2 convers\$5 near5 (marker or identifier)	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S84	3850906	select\$5 near1 application near5 database near5 stor \$5 near5 data	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S85	70	select\$5 near5 application near5 database near5 stor \$5 near5 data	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S86	114	select\$5 near5 database near5 stor\$5 near5 data same (identifier)	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S87	26	select\$5 near5 database near5 stor\$5 near5 data near10 (identifier)	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S88	3	selecting near2 database near1 identifier	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03

S89	1	"6,272,545".pn.	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S90	1	"5392390".pn.	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S91	213	map\$5 near5 database\$3 near5 tag\$2	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S92	2	map\$5 near5 database\$3 near5 tag\$2 near5 (conversion\$6)	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S93	29	application near5 database near6 match\$5 near5 table\$3	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S94	9	(US-6721715-\$ or US-6263201-\$ or US-6996589-\$ or US-5392447-\$ or US-5999937-\$ or US-6487424-\$ or US-6473765-\$ or US-5710917-\$ or US-5392390-\$). did.	USPAT	OR	OFF	2009/04/13 07:03
S95	9	S94 and (table\$1 or matrix\$3 or match\$5)	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S96	101	database near2 conversion near2 (matrix or table or grid)	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S97	14	database near2 conversion near2 (matrix or table or grid) same (id\$1 or identifier\$1)	US-PGPUB; USPAT	OR	OFF	2009/04/13 07:03
S98	1	"6,272,545".pn.	USPAT	OR	OFF	2009/04/13 07:03
S99	1	"6,272,545".pn. and PDA	USPAT	OR	OFF	2009/04/13 07:03

S100	4	("6272545" "5999937" "5932390" "5392447" "6272545").pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:10
S101	5	("6272545" "5999937" "5932447" "5392447" "7152205").pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:11
S102	5	("6272545" "5999937" "5932390" "5392447" "7152205").pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:11
S103	5	("6272545" "5999937" "5932390" "5392447" "7152205").pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:12
S104	1	"20020091709".pn.	US- PGPUB; USPAT	OR	OFF	2010/02/15 12:55
S105	1	"20020174098".pn.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:22
S106	6118	715/864,224,255,248-249,764,780.ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:24
S107	428	715/864,224,255,248-249,764,780.ccls. and (conver \$5 or transfor\$5) near6 data near5 format\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:24
S108	31	715/864,224,255,248-249,764,780.ccls. and (conver \$5 or transfor\$5) near6 data near5 format\$1 same application near2 program\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:24
S109	2	715/864,224,255,248-249,764,780.ccls. and (conver \$5 or transfor\$5) near6 data near5 (between or different or distinct) near5 application near2 program \$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:26

S110	1167	715/864,224,255,248-249,764,780.ccls. and (PDA or PIM)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:28
S111	463	715/864,224,255,248-249,764,780.ccls. and (PDA or PIM) and application near2 program\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:28
S112	31	715/864,224,255,248-249,764,780.ccls. and (PDA or PIM) and application near2 program\$1 same (conver \$6)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:28
S113	17	715/864,224,255,248-249,764,780.ccls. and (PDA or PIM) and application near2 program\$1 same (conver \$6) near6 (format\$5 or data or content)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:28
S114	0	707/635.ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:31
S116	21691	707/102,104.1,200,610,635,805,809.ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:32
S117	1585	707/102,104.1,200,610,635,805,809.ccls. and (conver\$5 or transfor\$5) near6 data near5 format\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:32
S118	54	707/102,104.1,200,610,635,805,809.ccls. and (conver\$5 or transfor\$5) near6 data near5 format\$1 same application near2 program\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:32
S119	3	707/102,104.1,200,610,635,805,809.ccls. and (conver\$5 or transfor\$5) near6 data near5 (between or different or distinct) near5 application near2 program\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:34
S120	2784	707/102,104.1,200,610,635,805,809.ccls. and (PDA or PIM)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:35

S121	938	707/102,104.1,200,610,635,805,809.ccls. and (PDA or PIM) and application near2 program\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:35
S122	53	707/102,104.1,200,610,635,805,809.ccls. and (PDA or PIM) and application near2 program\$1 same (conver\$6)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:35
S123	20	707/102,104.1,200,610,635,805,809.ccls. and (PDA or PIM) and application near2 program\$1 same (conver\$6) near6 (format\$5 or data or content)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:36
S124	89881	"707"/\$\$\$ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:37
S125	22	"707"/\$\$\$ccls. and (synchron\$9) near5 heterogeneous near5 (database\$1)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:38
S126	0	"707"/\$\$\$ccls. and (synchron\$9) near5 heterogeneous near5 (database\$1) same (PDA or PIM or application near2 program\$1)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:39
S127	0	(synchron\$9) near5 heterogeneous near5 (database \$1) same (PDA or PIM or application near2 program \$1)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:41
S128	0	(synchron\$9) near5 heterogeneous near5 (database \$1 or format\$1) same (PDA or PIM or application near2 program\$1)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:41
S129	0	(synchron\$9) near5 heterogeneous near5 (database \$1 or format\$1) near10 (PDA or PIM or application near2 program\$1)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:41
S130	7	("6377243" "4864497" "5761656" "7152205" "6378001" "5708828" "5392390").pn.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S131	8864	707/102.ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42

S132	521	715/864.ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S133	9582	707/201,200,204.ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S134	4	database near4 conversion near2 matrix	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S135	7	database near4 conversion near2 identifier	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S136	0	database near4 conversion near2 identifier same match\$5	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S137	6	database near4 conversion near10 match\$5 near4 table\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S138	172	database near3 conversion near4 program\$5	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S139	15	database near3 conversion same mapp\$5 near5 field \$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S140	1	"5392390".pn.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S141	3241	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (application\$1 or database\$1)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42

S142	263	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (application\$1 or database\$1) near10 (different or distinct or format\$1)	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S143	118	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (applications or databases) near10 (different or distinct or format\$1)	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S144	38	(input\$5 or enter\$5) near3 (data or information) near3 (two or plurality or many or multiple) near3 (applications or databases) near5 (different or distinct or format\$1)	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S145	5	(PDA or PIM) near5 database near5 conver\$8	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S146	2093	(transform\$5 or conver\$6) near5 application near5 data near5 format\$3	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S147	54	(transform\$5 or conver\$6) near5 application near5 data near5 different near5 format\$3	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S148	46	convert\$5 near6 between near5 database near2 format\$2	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S149	5	convert\$5 near6 between near5 (different or distinct) near5 database near2 format\$2	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S150	37	convert\$5 near6 data near6 (different or distinct) near5 database near2 format\$2	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S151	37	convert\$5 near6 data near6 (different or distinct) near5 database near2 format\$2 and field\$2	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42

S152	0	PDA same (different to distinct) near2 database\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S153	82	PDA same (different or distinct) near2 database\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S154	2	PDA same (different or distinct) near2 database\$1 near10 format\$2	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S155	9582	707/201,200,204.ccls.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S156	4	database near4 conversion near2 matrix	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S157	7	database near4 conversion near2 identifier	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S158	0	database near4 conversion near2 identifier same match\$5	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S159	6	database near4 conversion near10 match\$5 near4 table\$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S160	172	database near3 conversion near4 program\$5	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S161	15	database near3 conversion same mapp\$5 near5 field \$1	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S162	1	"5392390".pn.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42

S163	90	select\$5 near5 database near2 convers\$5	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S164	0	select\$5 near5 database near2 convers\$5 near5 (marker or identifier)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S165	4140553	select\$5 near5 application near5 database near5 stor \$5 near5 data	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S166	80	select\$5 near5 application near5 database near5 stor \$5 near5 data	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S167	124	select\$5 near5 database near5 stor\$5 near5 data same (identifier)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S168	32	select\$5 near5 database near5 stor\$5 near5 data near10 (identifier)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S169	3	selecting near2 database near1 identifier	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S170	1	"6,272,545".pn.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S171	1	"5392390".pn.	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S172	246	map\$5 near5 database\$3 near5 tag\$2	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S173	2	map\$5 near5 database\$3 near5 tag\$2 near5 (conver \$6)	US- PGPUB; USPAT	OR	OFF	2010/02/15 13:42

S174	32	application near5 database near6 match\$5 near5 table\$3	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S175	9	(US-6721715-\$ or US-6263201-\$ or US-6996589-\$ or US-5392447-\$ or US-5999937-\$ or US-6487424-\$ or US-6473765-\$ or US-5710917-\$ or US-5392390-\$). ;did.	USPAT	OR	OFF	2010/02/15 13:42
S176	9	S175 and (table\$1 or matrix\$3 or match\$5)	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S177	112	database near2 conversion near2 (matrix or table or grid)	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S178	18	database near2 conversion near2 (matrix or table or grid) same (id\$1 or identifier\$1)	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S179	1	"6,272,545".pn.	USPAT	OR	OFF	2010/02/15 13:42
S180	1	"6,272,545".pn. and PDA	USPAT	OR	OFF	2010/02/15 13:42
S181	4	("6272545" "5999937" "5932390" "5392447" "6272545").pn.	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S182	5	("6272545" "5999937" "5932447" "5392447" "7152205").pn.	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S183	5	("6272545" "5999937" "5932390" "5392447" "7152205").pn.	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42
S184	5	("6272545" "5999937" "5932390" "5392447" "7152205").pn.	US-PGPUB; USPAT	OR	OFF	2010/02/15 13:42

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12273	707/102,104.1,200,610,635,805,809.ccls.	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:59
L4	89	707/102,104.1,200,610,635,805,809.ccls. and heterogeneous near6 (database\$1)	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:59
L5	69	707/102,104.1,200,610,635,805,809.ccls. and plurality near4 application near2 program\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:59
L6	3	707/102,104.1,200,610,635,805,809.ccls. and plurality near4 application near2 program\$1 same conver\$6	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:00
L7	2	707/102,104.1,200,610,635,805,809.ccls. and conver \$5 same application near2 program\$1 near5 icon\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:00
L8	2	707/102,104.1,200,610,635,805,809.ccls. and input adj window\$1 near10 icon\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:00
L9	7	707/102,104.1,200,610,635,805,809.ccls. and input adj window\$1 near10 field\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:00
L10	1050	707/102,104.1,200,610,635,805,809.ccls. and convert \$5 near4 format\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:00
L11	5	707/102,104.1,200,610,635,805,809.ccls. and convert \$5 near4 format\$1 near10 (PDA or PIM)	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:01
L12	1	707/102,104.1,200,610,635,805,809.ccls. and prescribed adj identifier	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:01
L13	55	707/102,104.1,200,610,635,805,809.ccls. and identifier adj code	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:01
L14	3	707/102,104.1,200,610,635,805,809.ccls. and identifier adj code near10 table\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:02
L15	313	707/102,104.1,200,610,635,805,809.ccls. and first adj database same second adj database	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:02

L16	7	707/102,104,1,200,610,635,805,809.ccls. and convert \$5 near10 delimiter\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:02
L17	0	707/102,104,1,200,610,635,805,809.ccls. and application adj program\$1 near10 (contacts or scheduler or tasks or phone adj book)	US-PGPUB; UPAD	OR	OFF	2010/02/15 14:02
S186	3572	715/255,249,764,864,780.ccls.	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:46
S187	1	715/255,249,764,864,780.ccls. and heterogeneous near6 (database\$1)	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:47
S188	28	715/255,249,764,864,780.ccls. and plurality near4 application near2 program\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:47
S189	1	715/255,249,764,864,780.ccls. and plurality near4 application near2 program\$1 same conver\$6	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:48
S190	3	715/255,249,764,864,780.ccls. and conver\$5 same application near2 program\$1 near5 icon\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:48
S191	0	715/255,249,764,864,780.ccls. and input adj window \$1 near10 icon\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:49
S192	5	715/255,249,764,864,780.ccls. and input adj window \$1 near10 field\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:49
S193	392	715/255,249,764,864,780.ccls. and convert\$5 near4 format\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:51
S194	4	715/255,249,764,864,780.ccls. and convert\$5 near4 format\$1 near10 (PDA or PIM)	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:51
S195	0	715/255,249,764,864,780.ccls. and prescribed adj identifier	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:52
S196	13	715/255,249,764,864,780.ccls. and identifier adj code	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:53
S197	1	715/255,249,764,864,780.ccls. and identifier adj code near10 table\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:53
S198	22	715/255,249,764,864,780.ccls. and first adj database same second adj database	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:54

S199	5	715/255,249,764,864,780.ccls. and convert\$5 near10 delimiter\$1	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:54
S200	0	715/255,249,764,864,780.ccls. and appliation adj program\$1 near10 (contacts or scheduler or tasks or phone adj book)	US-PGPUB; UPAD	OR	OFF	2010/02/15 13:55

2/15/2010 2:03:44 PM

C:\Documents and Settings\abasehoar\My Documents\EAST\Workspaces\10036378(2).wsp